

Tri-vel

840, Raoul-Jobin Street suite 100, Quebec QC G1N 1S7

Telephone:(418) 687-7676 Fax:(418) 687-7667

www.trivel.com



Users' name : _____

Birth date: _____

Sex: F M

Parents' names and coordinates

Father

Mother

Name _____

Address _____

Tel. home (____) _____

(____) _____

Tel. office (____) _____

(____) _____

Email _____

Therapists' name and coordinates



Name : _____

physio ergo

Centre : _____

Telephone : (____) _____

Fax : (____) _____



Measurements

Date : _____

1. Weight in lbs: _____
2. Foot length with shoes: _____
3. Leg (large trochanter to the ground in standing position) R _____ L _____
4. Backrest to pedal (wall to heel including the shoe, sitting to ground, back to wall): _____
5. Trunk (from the seat to the shoulder in sitting position): _____
6. Shoulder (width): _____
7. Hip width: _____
8. Thorax (width of the back under the shoulders): _____
9. Height of the shoulder blades (from the seat to the point of the shoulder blades in a sitting position): _____
10. Steering (distance between the shoulder and palm of the hand with 20° at the elbow): _____
11. Thickness of the thorax (from the back to the front of the abdomen): _____
12. Thickness of the thigh: _____
13. Height of the toe piece: _____
14. Minimum pedaling (A350): _____
15. Maximum pedaling (A350): _____

Products

T15	• •	T350	• •	Stab fix	• •	Traction arm bike	• •
T20	• •	A350	• •	DynaStab	• •	Traction arm T350	• •
T25	• •	H350	• •	DynaStab jr	• •	Traction arm TG	• •
T30	• •	R350	• •	R200	• •		

Couleur

Blue	• •
Red	• •
Green	• •

Bike • • 16□ • • 20□ • • 24□ • • 26□ • • 700C • •
provided by the parents • • to be ordered • •

Options

Backrest hip • • thoracic • • adjustable backrest • • custom made • •
adjustable backrest shaft • • adjustable head rest • •

Brake parking brake • • slack adjuster with a front lock • • right brake control • •
double rear • • slack adjuster with a back lock • • left brake control • •
back-pedaling • • friction speed reduction speed • • accompanying • •

Peddle small toe clip • • raising bloc L • • R • • height : _____
medium toe clip • • courroie arrière Medium • • foot advance • •
large toe clip • • courroie arrière Large • • foot rest • •
peddle arm modification • • lenght _____ peddle balance • •

Boot heel support inner outer complete boot with 90 degree control
L • • R • • L • • R • • L • • R • • L • • R • • L • • R • •
front support L • • R • • heelpiece height: _____

Handle front control handle • • back handle with steering control • •
back control handle • • transfer handle • •

Abduction abduction arm L • • R • • abduction block • •
arm lenght _____ circumference of the thigh _____

Steering steering spring • • steering head protection • •

Handlebars semi-mustang 40mm • • 65mm • • 100mm • • 120mm • •
mustang 300mm • • staight • • vertical • • articulated • •
adjustable bar • • cable extensions • • custom made • •

Seat S and low • • S seat covers • • standard M • • plateform • •
M and low • • M seat covers • • standard L • • gel • •
L and low • • L seat covers • • standard XL • •

Speed reduced • • entraînement direct • • right speed control • •
direct driving and free wheel for the 350 • • left speed control • •

Accessories prehensile gloves L • • R • • padded crural strap • • breastplates • •
S M L S M L

Delivery at the center • • at home • • _____

Notes : _____

